

L Number	Hits	Search Text	DB	Time stamp
1	734	128/205.23	USPAT	2004/02/22 21:33
2	383	128/205.23.ccls.	USPAT	2004/02/22 21:33
3	405	128/205.23.ccls.	USPAT; US-PGPUB	2004/02/22 21:40
4	153	128/205.23.ccls. and display	USPAT; US-PGPUB	2004/02/22 22:35
5	25	ventilator and IPPV	USPAT; US-PGPUB	2004/02/22 23:02
6	491	ventilat\$ near5 mixed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22 23:02
7	491	ventilat\$ near5 mixed	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22 23:03
8	75	(ventilat\$ near5 mixed) and patient	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22 23:09
9	2	6542449.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22 23:09
10	2	6543449.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22 23:11
11	23	("3250458"   "3676013"   "3976064"   "4206754"   "4323064"   "4345612"   "4380233"   "4579115"   "4584996"   "4637385"   "4867152"   "4905688"   "4938661"   "4957107"   "5117819"   "5211170"   "5231981"   "5320489"   "5495077"   "5537997"   "5660171"   "5678539"   "5694926").PN.	USPAT	2004/02/22 23:10
12	490	volume adj ventilat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22 23:11
13	1395	pressure adj ventilat\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22 23:12
14	10	(volume adj ventilat\$4) with (pressure adj ventilat\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22 23:51
15	16	(volume adj ventilat\$4) same (pressure adj ventilat\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22 23:15
16	0	((volume adj ventilat\$4) same (pressure adj ventilat\$)) not (pressure adj ventilat\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22 23:15
17	6	((volume adj ventilat\$4) same (pressure adj ventilat\$)) not ((volume adj ventilat\$4) with (pressure adj ventilat\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/22 23:15

18	50	mixed near3 ventilator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 23:19
19	32	(volume adj ventilat\$4) and (cpap or bipap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 23:21
21	1758	(data adj object).clm.	USPAT	2004/02/22 23:23
22	1	(pressure adj ventilat\$) and (display with arrow\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 23:53
23	2	(volume adj ventilat\$4) and (display with bellow\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 23:52
24	0	(pressure adj ventilat\$) and (display with bellow\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 23:52
25	1	(pressure adj ventilat\$) and (display same bellow\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 23:52
26	1	(pressure adj ventilat\$) and (display with (air adj flow))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 00:02
27	22	ventilator and (display with arrow\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 00:00
28	46	ventilator and (display same arrow\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 00:00
29	45	(ventilator and (display same arrow\$1)) not ((pressure adj ventilat\$) and (display with arrow\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 00:00
30	24	(ventilator and (display same arrow\$1)) not (ventilator and (display with arrow\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 00:00
31	5	(volume adj ventilat\$4) and (display same (air adj flow))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 00:05
32	25873	ventilator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 00:09
33	0	ventilator and (volumne near3 mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 00:06

34	77	ventilator and (volume near3 mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 00:06
35	39	(ventilator and (volume near3 mode)) and (pressure near3 mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 00:06
37	0	ventilator and ((flow with display) with arrow)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 00:10
38	2	ventilator and ((flow with display) same arrow)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 00:10
36	189	ventilator and (flow with display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 00:10